

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1210	(257/531,277,528).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/05/08 10:00
L2	1	("6566731").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/05/08 09:10
L3	13	("3765082" "3785046" "3812442" "4543553" "4689594" "5032815" "5122227" "5227659" "5302932" "5349743" "5643804" "5656101" "5801521").PN.	US-PGPUB; USPAT; USOCR	AND	OFF	2006/05/08 09:11
L4	4	("20020064923" "4841253" "5461353" "6201287").PN.	US-PGPUB; USPAT; USOCR	AND	OFF	2006/05/08 09:22
L5	1	("6992366").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/05/08 09:22
L6	106	257/531,277,528.ccls. and stack	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2006/05/08 11:01
L7	1	("6717503").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/05/08 10:09
L8	63	stacked adj inductor	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2006/05/08 10:10
L9	1	("6002161").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/05/08 10:14
L10	1	("6841847").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/05/08 10:14
L11	5	("20020157849" "5414402" "6355535" "6395637" "6472285").PN.	US-PGPUB; USPAT; USOCR	AND	OFF	2006/05/08 10:16
L12	0	("7046114").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/05/08 10:25
L13	0	otogonal adj inductor	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2006/05/08 10:25
L14	0	octogonal adj inductor	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2006/05/08 10:25

EAST Search History

L15	0	octagon\$6 with inductor	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2006/05/08 10:25
L16	95	octagon\$6 with inductor	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2006/05/08 10:31
L17	0	(octagon\$6 with inductor).ti.	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2006/05/08 10:32
L18	0	(octagon\$6 with induct\$6).ti.	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2006/05/08 10:33
L19	1	("6937128").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/05/08 10:35
L20	1	("6566731").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/05/08 10:45
L21	1	("6992366").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/05/08 10:45
L22	2	(stack\$6 with inductor) and (power adj supply) with port	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2006/05/08 10:50
L23	0	(stack\$6 with inductor) and (voltage adj source) with port	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2006/05/08 10:50
L24	223	(inductor) and (power adj source) with port	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2006/05/08 10:51
L25	4	(stack\$3 with inductor) and ((voltage or power) adj (supply or source)) with port	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2006/05/08 10:53
L26	10	257/531,277,528.ccls. and stack and power adj supply	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2006/05/08 11:02
L27	106	257/531,277,528.ccls. and stack	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2006/05/08 11:02
L28	0	257/531,277,528.ccls. and stack adn thickness	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2006/05/08 11:02
L29	85	257/531,277,528.ccls. and stack and thickness	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2006/05/08 11:15

EAST Search History

L30	31	inductor with port with power adj supply	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2006/05/08 11:32
L31	421	257/e21.022.ccls.	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2006/05/08 11:19
L32	2	inductor with port with voltage adj supply	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2006/05/08 11:32
L33	15	inductor with port with voltage adj source	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2006/05/08 11:34
L34	16	inductor with port with power adj source	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2006/05/08 11:34